



Issue Date : December 2015

ISSUED by ACS

Product Name **Perfexion Carpet and Fabric Protection**

Classified as non-hazardous

1. Identification

GHS Product Identifier Perfexion Carpet and Fabric Protection
Company Name Precision Automotive Technology
Address 5 Edmund St Newstead
QLD 4006 Australia
Telephone/Fax Number Tel: (07) 3000 7225
Emergency phone number (07) 3000 7225

2. Hazard Identification

GHS classification of the substance/mixture Not a dangerous substance or mixture according to the GHS.

Precautionary statement – General Keep out of reach of children.

3. Composition/information on ingredients

Ingredients	<u>Name</u>	<u>CAS</u>	<u>Proportion</u>
	All ingredients are classified as non-hazardous at the concentrations used according to the criteria of Safe Work Australia	Not applicable	

4. First-aid measures

First Aid Measures If poisoning occurs contact a doctor or Poisons Information Centre Phone Australia 131126, New Zealand 0800 764 766.

Inhalation Remove victim from exposure if safe to do so. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume a comfortable position and keep warm. Seek medical advice if symptoms persist.

Ingestion Do NOT induce vomiting. Wash mouth out with water. Give water to drink. Seek medical advice.

Skin Wash skin with plenty of water. Remove contaminated clothing and wash before re-use. Seek medical advice (e.g. doctor) if irritation, burning or redness develops.

Eye contact Hold eyelids open and irrigate continuously with water for 15 minutes. Seek medical advice.

First Aid Facilities Use should be made of an on-site approved first aid kit if required in the first instance until medical assistance is forthcoming. Potable water should be available to rinse eyes or skin. Provide eye baths and safety showers.

Advice to Doctor Treat symptomatically. Show this S.D.S. to the medical practitioner.

5. Fire-fighting measures

Suitable extinguishing media Use dry chemicals, CO₂, water spray or alcohol resistant foam. Use equipment/media appropriate to surrounding fire conditions.

Hazards from Combustion Products This product is non combustible. Fumes of decomposition products may be toxic and irritating.

6. Accidental release measures

Spills & Disposal Avoid concentrated spillage from entering drains or watercourse. Remove for disposal in accordance with local waste management. Use suitable containers for disposal.

Safety Data Sheet

Issue Date : December 2015

ISSUED by ACS

Product Name **Perfexion Carpet and Fabric Protection**

Classified as non-hazardous

Personal Protection No special requirements under normal use conditions.
Clean-up Methods - Small Spillages Hose small spills to drain with excess water
Clean-up Methods - Large Spillages Large spills should be contained with absorbent and collected in containers for disposal
Environmental Precautions Review local regulations before release to the environment.

7. Handling and storage

Precautions for Safe Handling When not being used, the product containers should be stored upright, and secured with the original closure. If transfer to another container becomes necessary ensure that the container is clearly labelled, the container is of a type suitable for the product, and is clean and free of other materials. Do not eat, drink or smoke in contaminated areas. Before eating, drinking or smoking, wash hands and remove contaminated clothing.
Additional information on precautions for use Always use clean and dry equipment to dispense the product. Dispensers should be cleaned before and after use. All dispensers should be washed out after use.

8. Exposure controls/personal protection

Occupational exposure limit values SWA exposure limits: None established
Appropriate engineering controls Ensure that adequate ventilation is provided. Maintain air concentrations below recommended exposure standards. Keep containers closed when not in use.
Personal Protective Equipment Use sensible work practices that reduce operator exposure to the product. Chemical resistant gloves and eye protection may be considered.

9. Physical and chemical properties

Appearance Opaque, off white liquid
Boiling Point ca 100°C
Solubility in Water Completely miscible with water
Specific Gravity 1.05 - 1.10 g/ml
pH 3.5 - 4.5
Flammability Non flammable

10. Stability and reactivity

Conditions to Avoid Use only as directed. Store in accordance with directions given in Section 7 (Handling and storage) of this MSDS.
Incompatible Materials Anionic surfactants
Possibility of hazardous reactions This material is stable under normal conditions of storage and use.
Other Information Store in a cool, dry place

11. Toxicological Information

Ingestion May cause irritation, headache, dizziness, dullness, gastric disorders and symptoms of central nervous system depression.
Inhalation Inhalation of mists and vapours may cause irritation and discomfort.
Skin Prolonged contact may lead to skin irritation and/or dermatitis. Seek medical advice if allergic reactions develop.
Eye Will cause mild irritation.
Chronic Effects No long-term exposure effects are known.

12. Ecological information

Safety Data Sheet

Issue Date : December 2015

ISSUED by ACS

Product Name **Perfexion Carpet and Fabric Protection**

Classified as non-hazardous

Ecotoxicity No data is available on the product itself.

13. Disposal considerations

Disposal Considerations Remove for disposal in accordance with local waste management regulations. Dilute well with water before discharge.

14. Transport information

Transport Information This product is not classified as a dangerous good for transport (by road, rail, sea or air) according to the classification criteria for land, sea or air transport.

15. Regulatory information

Poisons Schedule Not Scheduled

AICS (Australia) All ingredients listed

16. Other Information

Other Information Reason for revision: Update to GHS format

DO NOT MIX WITH OTHER CHEMICALS WITHOUT PRIOR CONSULTATION WITH THE MANUFACTURER. Always use product as directed. Never return any unused material to original drum.

Every endeavour has been made to ensure that the information contained in this publication is reliable and offered in good faith. It is meant to describe the safety requirements of our products and should not be construed as guaranteeing specific properties. Customers are encouraged to conduct their own tests as end user suitability of the product for particular uses is beyond our control. The information is not intended as an inducement to bargain and no warranty expressed or implied is made as to its accuracy, reliability or completeness. Precision Automotive Technology accepts no liability for loss, injury or damage arising from reliance upon the information contained in this data sheet except in conjunction with the proper use of the product to which it refers. Due care should be taken that the use and disposal of this product is in compliance with appropriate Federal, State and Local Government regulations.

...End Of MSDS...

© Copyright ACOHS Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XPO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.



Issue Date : August 2015

Status : ISSUED

Product Name **Perfexion Leather Protection**

Classified as non-hazardous

1. Identification

GHS Product Identifier Perfexion Leather Protection
Company Name Precision Automotive Technology
Address 5 Edmund St Newstead
 QLD 4006 Australia
Telephone/Fax Number Tel: (07) 3000 7225
Emergency phone number (07) 3000 7225

2. Hazard Identification

GHS classification of the substance/mixture This material is NON-HAZARDOUS according to Safe Work Australia's GHS Criteria.
Precautionary statement – General Keep out of reach of children.

3. Composition/information on ingredients

Ingredients	Name	CAS	Proportion
	All ingredients are classified as non-hazardous at the concentrations used according to the criteria of Safe Work Australia	Not applicable	-

4. First-aid measures

First Aid Measures If poisoning occurs contact a doctor or Poisons Information Centre Phone Australia 131126, New Zealand 0800 764 766.
Inhalation Remove victim from exposure if safe to do so. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume a comfortable position and keep warm. Seek medical advice if symptoms persist.
Ingestion Do NOT induce vomiting. Wash mouth out with water. Give water to drink. Seek medical advice.
Skin Wash skin with plenty of soap and water. Remove contaminated clothing and wash before re-use. Seek medical advice (e.g. doctor) if irritation or redness develops.
Eye contact Hold eyelids open and irrigate continuously with water for 15 minutes. Seek medical advice.
First Aid Facilities Use should be made of an on-site approved first aid kit if required in the first instance until medical assistance is forthcoming. Potable water should be available to rinse eyes or skin. Provide eye baths and safety showers.
Advice to Doctor Treat symptomatically. Show this M.S.D.S. to the medical practitioner.

5. Fire-fighting measures

Suitable extinguishing media Use dry chemicals, CO2, water spray or alcohol resistant foam. Use equipment/media appropriate to surrounding fire conditions.
Hazards from Combustion Products This product is non combustible. Fumes of decomposition products may be toxic and irritating.

6. Accidental release measures

Spills & Disposal Avoid concentrated spillage from entering drains or watercourse. Remove for disposal in accordance with local waste management. Use suitable containers for disposal.
Personal Protection No special requirements under normal use conditions.
Clean-up Methods - Small Spillages Dilute small spills with large quantities of water before release to environment

Safety Data Sheet

Issue Date : August 2015

Status : ISSUED

Product Name **Perfexion Leather Protection**

Classified as non-hazardous

Clean-up Methods - Large Spillages Large spills should be contained with absorbent and collected in containers for disposal
Environmental Precautions Refer to local waste management before any release to the environment.

7. Handling and storage

Precautions for Safe Handling When not being used, the product containers should be stored upright, and secured with the original closure. If transfer to another container becomes necessary ensure that the container is clearly labelled, the container is of a type suitable for the product, and is clean and free of other materials. Do not eat, drink or smoke in contaminated areas. Before eating, drinking or smoking, wash hands and remove contaminated clothing.

Additional information on precautions for use Always use clean and dry equipment to dispense the product. Dispensers should be cleaned before and after use. All dispensers should be washed out after use.

8. Exposure controls/personal protection

Occupational exposure limit values SWA exposure limits: None established

Appropriate engineering controls Ensure that adequate ventilation is provided. Maintain air concentrations below recommended exposure standards. Keep containers closed when not in use.

Personal Protective Equipment Use sensible work practices that reduce operator exposure to the product. Chemical resistant gloves and eye protection may be considered.

9. Physical and chemical properties

Boiling Point ca 100°C

Solubility in Water Completely miscible with water

Specific Gravity 0.99 - 1.10 g/ml

pH 5.5 - 6.5

Volatile Component 75%

Flammability Non flammable

10. Stability and reactivity

Conditions to Avoid Use only as directed. Store in accordance with directions given in Section 7 (Handling and storage) of this MSDS.

Incompatible Materials None known

Possibility of hazardous reactions This material is stable under normal conditions of storage and use.

Other Information Store in a cool, dry place

11. Toxicological Information

Ingestion May cause irritation, headache, and gastric disorders.

Inhalation Inhalation of mists and vapours may cause irritation and discomfort.

Skin Prolonged contact may lead to skin irritation and/or dermatitis. Seek medical advice if allergic reactions develop.

Eye May cause serious irritation.

Chronic Effects No long-term exposure effects are known.

12. Ecological information

Ecotoxicity No data is available on the product itself.

13. Disposal considerations

Disposal Considerations Remove for disposal in accordance with local waste management regulations.

Safety Data Sheet

Issue Date : August 2015

Status : ISSUED

Product Name **Perfexion Leather Protection**

Classified as non-hazardous

14. Transport information

Transport Information Not classified as a Dangerous Good according to the Australian Code for the Transport of Dangerous Goods by Road and Rail.

15. Regulatory information

Poisons Schedule Not Scheduled
AICS (Australia) All ingredients listed

16. Other Information

Other Information Reason for revision: Update to GHS format

DO NOT MIX WITH OTHER CHEMICALS WITHOUT PRIOR CONSULTATION WITH THE MANUFACTURER. Always use product as directed. Never return any unused material to original drum.
Every endeavour has been made to ensure that the information contained in this publication is reliable and offered in good faith. It is meant to describe the safety requirements of our products and should not be construed as guaranteeing specific properties. Customers are encouraged to conduct their own tests as end user suitability of the product for particular uses is beyond our control. The information is not intended as an inducement to bargain and no warranty expressed or implied is made as to its accuracy, reliability or completeness. Precision Automotive Technology accepts no liability for loss, injury or damage arising from reliance upon the information contained in this data sheet except in conjunction with the proper use of the product to which it refers. Due care should be taken that the use and disposal of this product is in compliance with appropriate Federal, State and Local Government regulations.
...End Of MSDS...

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Chemical Safety International Pty Ltd.

Issue Date : April 2015

Status : ISSUED

Product Name **Perfexion Paint Protection**

Classified as hazardous

1. Identification

GHS Product Identifier Perfexion Paint Protection
Company Name Precision Automotive Technology
Address 5 Edmund St Newstead
 QLD 4006 Australia
Telephone/Fax Number
Emergency phone number Tel: (07) 3000 7225
 (07) 3000 7225

2. Hazard Identification

GHS classification of the substance/mixture Aspiration Hazard: Category 1
 Flammable Liquids: Category 4
Signal Word (s) DANGER
Hazard Statement (s) May be fatal if swallowed and enters airways.
 Combustible liquid
Pictogram (s) Health hazard



Precautionary statement – Prevention Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
 Wear protective clothing/eye protection/face protection.
Precautionary statement – Response IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting.
 In case of fire: Use water fog for extinction.
Precautionary statement – Storage Store locked up.
 Store in a well-ventilated place. Keep container tightly closed.
Precautionary statement – Disposal Dispose of contents/container in accordance with local regulations.
Other Information Keep out of reach of children.

3. Composition/information on ingredients

Ingredients	Name	CAS	Proportion
	Naptha (Petroleum), hydrotreated heavy	64742-48-9	10-30 %
	Ingredients determined to be non-hazardous at the formulation concentration		to 100%

4. First-aid measures

First Aid Measures If poisoning occurs contact a doctor or Poisons Information Centre Phone Australia 131126, New Zealand 0800 764 766.
Inhalation Remove victim from exposure if safe to do so. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume a comfortable position and keep warm. Seek medical advice if symptoms persist.
Ingestion Do NOT induce vomiting. Wash mouth out with water. Give water to drink. Seek medical advice.
Skin Wash skin with plenty of water. Remove contaminated clothing and wash before re-use. Seek medical advice (e.g. doctor) if irritation develops.
Eye contact Hold eyelids open and irrigate continuously with water for 15 minutes. Seek medical advice.
First Aid Facilities Use should be made of an on-site approved first aid kit if required in the

Safety Data Sheet

CS: 1.9.606

Page: 2 of 4

Issue Date : April 2015

Status : ISSUED

Product Name **Perfexion Paint Protection**

Classified as hazardous

Advice to Doctor first instance until medical assistance is forthcoming. Potable water should be available to rinse eyes or skin.
Treat symptomatically. Show this S.D.S. to the medical practitioner.

5. Fire-fighting measures

Suitable extinguishing media Combustible liquid. Avoid heat and all ignition sources. Use only in well ventilated areas. Prevent build-up of flammable vapours. Consult further information on safe storage and handling of hydrocarbon liquids. Handle in accordance with state or territory regulations for hydrocarbon liquids.

Hazards from Combustion Products Closed containers exposed to high temperatures, such as fire conditions may rupture. Vapours may form explosive mixtures with air. Use water sprays to cool fire exposed surfaces and any adjacent storage vessels. Shut off source of product if safe to do so. Remove sources of re-ignition. Use water fog to extinguish, or in the absence of water fog, a fine spray may be used. Wear a breathing apparatus when attending fire hazard.

6. Accidental release measures

Spills & Disposal Ensure adequate ventilation. Slippery when spilt. Contain spill with sand or earth. Gather up absorbent for disposal according to regulations. Avoid concentrated spillage from entering drains or watercourse. Do not allow to enter storm water drains, or water courses. Remove for disposal in accordance with local waste management. Use suitable containers for disposal.

Personal Protection Refer to Section 8 of this SDS.

Environmental Precautions Dispose of in accordance with local, state, and federal regulations.

7. Handling and storage

Precautions for Safe Handling Store in cool well ventilated area away from heat and ignition sources. Containers should always be kept closed in storage and properly labelled. Avoid contact with oxidising agents and mineral acids. Store only in original or approved containers. Harmful or fatal if swallowed! Avoid contact with eyes and skin. Avoid breathing vapors. Do not flame, cut, braze weld or melt empty containers. Keep the product away from heat, open flame, and other sources of ignition.

Additional information on precautions for use Always use clean and dry equipment to dispense the product. Dispensers should be cleaned before and after use. All dispensers should be washed out after use.

8. Exposure controls/personal protection

Occupational exposure limit values No value assigned for this specific material by the National Occupational Health and Safety Commission. However, for the hydrocarbon constituent: TWA = 184 ppm (1200 mg/m³)

Appropriate engineering controls Keep away from sources of ignition. Take precautionary measures against static discharges. Provide sufficient ventilation to control exposure levels below the exposure standards. Use local exhaust ventilation at sources of air contamination such as open process equipment. Dangerous concentrations may exist in areas with poor ventilation such as confined spaces.

Personal Protective Equipment Wear chemical goggles or face shield. Respiratory protection should be used if there is a risk of exposure to high vapour concentrations or if dust is being generated from usage. Respirators should comply with AS1716 or an equivalent approved by a state/territory authority. Wear protective clothing as necessary to avoid skin contact.

9. Physical and chemical properties

Appearance Viscous liquid

Boiling Point Not available

Solubility in Water Dispersable in water

Specific Gravity 1.00 g/ml (approx)

pH None allocated

Flash Point > 61C

Safety Data Sheet

Issue Date : April 2015

Status : ISSUED

Product Name **Perfexion Paint Protection**

Classified as hazardous

Flammability C1 Combustible liquid

10. Stability and reactivity

Chemical Stability Stable under normal conditions of use.

Conditions to Avoid Open flames, sparks and excessive heat.

Incompatible Materials Strong acids, strong alkalis and oxidising agents.

Possibility of hazardous reactions This material is stable under normal conditions of storage and use.

Other Information Store in a cool, dry place. Use only as directed. Store in accordance with directions given in Section 7 (Handling and storage) of this SDS.

11. Toxicological Information

Ingestion May cause discomfort, nausea, diarrhoea and vomiting.

Inhalation Irritant to the nose and respiratory tract, headaches and nausea. Due to the physical form of the product it is not expected that the exposure standards listed will be exceeded. Shaking the dried polish from polishing pads or cloths may produce dust which will contain kaolin. Inhalation of this dust may cause difficulty in breathing. It can cause coughing, wheezing and possible long term damage to the lungs.

Skin Contact may cause skin irritation and/or dermatitis. Seek medical advice if allergic reactions develop.

Eye Contact with eyes can cause irritation, redness, tearing, blurred vision, and/or swelling. Dust generated while using this product contains abrasive material which can cause irritation of the eyes.

Chronic Effects No long-term exposure effects are known.

12. Ecological information

Ecotoxicity No data is available on the product itself. Avoid contamination waterways.

13. Disposal considerations

Disposal Considerations Remove for disposal in accordance with local waste management regulations.

14. Transport information

Transport Information Not classified as a Dangerous Good according to the Australian Code for the Transport of Dangerous Goods by Road and Rail or NZS 5433:1999 Transport of Dangerous Goods on Land.

15. Regulatory information

Poisons Schedule S5

AICS (Australia) All ingredients listed

16. Other Information

Other Information Issue #2
Reason for revision: Regular review.

DO NOT MIX WITH OTHER CHEMICALS WITHOUT PRIOR CONSULTATION WITH THE MANUFACTURER. Always use product as directed. Never return any unused material to original drum.

Every endeavour has been made to ensure that the information contained in this publication is reliable and offered in good faith. It is meant to describe the safety requirements of our products and should not be construed as guaranteeing specific properties. Customers are encouraged to conduct their own tests as end user suitability of the product for particular uses is beyond our control. The information is not intended as an inducement to bargain and no warranty expressed or implied is made as to its accuracy, reliability or completeness. Precision Automotive Technology accepts no liability for loss, injury or damage arising from reliance upon the information contained in this

Safety Data Sheet

Page: 4 of 4

Issue Date : April 2015

Status : ISSUED

Product Name **Perfexion Paint Protection**

Classified as hazardous

data sheet except in conjunction with the proper use of the product to which it refers. Due care should be taken that the use and disposal of this product is in compliance with appropriate Federal, State and Local Government regulations.
...End Of MSDS...

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Chemical Safety International Pty Ltd.



Issue Date : August 2015

Status : ISSUED

Product Name **Perfexion Vinyl Protection**

Classified as non-hazardous

1. Identification

GHS Product Identifier Perfexion Vinyl Protection
Company Name Precision Automotive Technology
Address 5 Edmund St Newstead
QLD 4006 Australia
Telephone/Fax Number Tel: (07) 3000 7225
Emergency phone number (07) 3000 7225

2. Hazard Identification

GHS classification of the substance/mixture This material is NON-HAZARDOUS according to Safe Work Australia's GHS Criteria.
Precautionary statement – General Keep out of reach of children.

3. Composition/information on ingredients

Ingredients	<u>Name</u>	<u>CAS</u>	<u>Proportion</u>
	All ingredients are classified as non-hazardous at the concentrations used according to the criteria of Safe Work Australia	Not applicable	-

4. First-aid measures

First Aid Measures If poisoning occurs contact a doctor or Poisons Information Centre Phone Australia 131126, New Zealand 0800 764 766.

Inhalation Remove victim from exposure if safe to do so. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume a comfortable position and keep warm. Seek medical advice if symptoms persist.

Ingestion Do NOT induce vomiting. Wash mouth out with water. Give water to drink. Seek medical advice.

Skin Wash skin with plenty of soap and water. Remove contaminated clothing and wash before re-use. Seek medical advice (e.g. doctor) if irritation or redness develops.

Eye contact Hold eyelids open and irrigate continuously with water for 15 minutes. Seek medical advice.

First Aid Facilities Use should be made of an on-site approved first aid kit if required in the first instance until medical assistance is forthcoming. Potable water should be available to rinse eyes or skin. Provide eye baths and safety showers.

Advice to Doctor Treat symptomatically. Show this M.S.D.S. to the medical practitioner.

5. Fire-fighting measures

Suitable extinguishing media Use dry chemicals, CO2, water spray or alcohol resistant foam. Use equipment/media appropriate to surrounding fire conditions.

Hazards from Combustion Products This product is non combustible. Fumes of decomposition products may be toxic and irritating.

6. Accidental release measures

Spills & Disposal Avoid concentrated spillage from entering drains or watercourse. Remove for disposal in accordance with local waste management. Use suitable containers for disposal.

Personal Protection No special requirements under normal use conditions.

Clean-up Methods - Small Spillages Dilute small spills with large quantities of water before release to environment

Safety Data Sheet

Issue Date : August 2015

Status : ISSUED

Product Name **Perfexion Vinyl Protection**

Classified as non-hazardous

Clean-up Methods - Large Spillages Large spills should be contained with absorbent and collected in containers for disposal
Environmental Precautions Refer to local waste management before any release to the environment.

7. Handling and storage

Precautions for Safe Handling When not being used, the product containers should be stored upright, and secured with the original closure. If transfer to another container becomes necessary ensure that the container is clearly labelled, the container is of a type suitable for the product, and is clean and free of other materials. Do not eat, drink or smoke in contaminated areas. Before eating, drinking or smoking, wash hands and remove contaminated clothing.
Additional information on precautions for use Always use clean and dry equipment to dispense the product. Dispensers should be cleaned before and after use. All dispensers should be washed out after use.

8. Exposure controls/personal protection

Occupational exposure limit values SWA exposure limits: None established
Appropriate engineering controls Ensure that adequate ventilation is provided. Maintain air concentrations below recommended exposure standards. Keep containers closed when not in use.
Personal Protective Equipment Use sensible work practices that reduce operator exposure to the product. Chemical resistant gloves and eye protection may be considered.

9. Physical and chemical properties

Boiling Point ca 100°C
Solubility in Water Completely miscible with water
Specific Gravity 0.99 - 1.10 g/ml
pH 5.5 - 6.5
Volatile Component 75%
Flammability Non flammable

10. Stability and reactivity

Conditions to Avoid Use only as directed. Store in accordance with directions given in Section 7 (Handling and storage) of this MSDS.
Incompatible Materials None known
Possibility of hazardous reactions This material is stable under normal conditions of storage and use.
Other Information Store in a cool, dry place

11. Toxicological Information

Ingestion May cause irritation, headache, and gastric disorders.
Inhalation Inhalation of mists and vapours may cause irritation and discomfort.
Skin Prolonged contact may lead to skin irritation and/or dermatitis. Seek medical advice if allergic reactions develop.
Eye May cause serious irritation.
Chronic Effects No long-term exposure effects are known.

12. Ecological information

Ecotoxicity No data is available on the product itself.

13. Disposal considerations

Disposal Considerations Remove for disposal in accordance with local waste management regulations.

Safety Data Sheet

Issue Date : August 2015

Status : ISSUED

Product Name **Perfexion Vinyl Protection**

Classified as non-hazardous

14. Transport information

Transport Information Not classified as a Dangerous Good according to the Australian Code for the Transport of Dangerous Goods by Road and Rail.

15. Regulatory information

Poisons Schedule Not Scheduled

AICS (Australia) All ingredients listed

16. Other Information

Other Information Reason for revision: Update to GHS format

DO NOT MIX WITH OTHER CHEMICALS WITHOUT PRIOR CONSULTATION WITH THE MANUFACTURER. Always use product as directed. Never return any unused material to original drum.

Every endeavour has been made to ensure that the information contained in this publication is reliable and offered in good faith. It is meant to describe the safety requirements of our products and should not be construed as guaranteeing specific properties. Customers are encouraged to conduct their own tests as end user suitability of the product for particular uses is beyond our control. The information is not intended as an inducement to bargain and no warranty expressed or implied is made as to its accuracy, reliability or completeness. Precision Automotive Technology accepts no liability for loss, injury or damage arising from reliance upon the information contained in this data sheet except in conjunction with the proper use of the product to which it refers. Due care should be taken that the use and disposal of this product is in compliance with appropriate Federal, State and Local Government regulations.

...End Of MSDS...

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Chemical Safety International Pty Ltd.



Issue Date : December 2015

ISSUED by ACS

Product Name **365 Carpet and Fabric Protection**

Classified as non-hazardous

1. Identification

GHS Product Identifier Perfexion Carpet and Fabric Protection
Company Name Precision Automotive Technology
Address 5 Edmund St Newstead
 QLD 4006 Australia
Telephone/Fax Number Tel: (07) 3000 7225
Emergency phone number (07) 3000 7225

2. Hazard Identification

GHS classification of the substance/mixture Not a dangerous substance or mixture according to the GHS.

Precautionary statement – General Keep out of reach of children.

3. Composition/information on ingredients

Ingredients	Name	CAS	Proportion
	All ingredients are classified as non-hazardous at the concentrations used according to the criteria of Safe Work Australia	Not applicable	

4. First-aid measures

First Aid Measures If poisoning occurs contact a doctor or Poisons Information Centre Phone Australia 131126, New Zealand 0800 764 766.

Inhalation Remove victim from exposure if safe to do so. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume a comfortable position and keep warm. Seek medical advice if symptoms persist.

Ingestion Do NOT induce vomiting. Wash mouth out with water. Give water to drink. Seek medical advice.

Skin Wash skin with plenty of water. Remove contaminated clothing and wash before re-use. Seek medical advice (e.g. doctor) if irritation, burning or redness develops.

Eye contact Hold eyelids open and irrigate continuously with water for 15 minutes. Seek medical advice.

First Aid Facilities Use should be made of an on-site approved first aid kit if required in the first instance until medical assistance is forthcoming. Potable water should be available to rinse eyes or skin. Provide eye baths and safety showers.

Advice to Doctor Treat symptomatically. Show this S.D.S. to the medical practitioner.

5. Fire-fighting measures

Suitable extinguishing media Use dry chemicals, CO2, water spray or alcohol resistant foam. Use equipment/media appropriate to surrounding fire conditions.

Hazards from Combustion Products This product is non combustible. Fumes of decomposition products may be toxic and irritating.

6. Accidental release measures

Spills & Disposal Avoid concentrated spillage from entering drains or watercourse. Remove for disposal in accordance with local waste management. Use suitable containers for disposal.

Safety Data Sheet

Issue Date : December 2015

ISSUED by ACS

Product Name **365 Carpet and Fabric Protection**

Classified as non-hazardous

Personal Protection No special requirements under normal use conditions.
Clean-up Methods - Small Spillages Hose small spills to drain with excess water
Clean-up Methods - Large Spillages Large spills should be contained with absorbent and collected in containers for disposal
Environmental Precautions Review local regulations before release to the environment.

7. Handling and storage

Precautions for Safe Handling When not being used, the product containers should be stored upright, and secured with the original closure. If transfer to another container becomes necessary ensure that the container is clearly labelled, the container is of a type suitable for the product, and is clean and free of other materials. Do not eat, drink or smoke in contaminated areas. Before eating, drinking or smoking, wash hands and remove contaminated clothing.
Additional information on precautions for use Always use clean and dry equipment to dispense the product. Dispensers should be cleaned before and after use. All dispensers should be washed out after use.

8. Exposure controls/personal protection

Occupational exposure limit values SWA exposure limits: None established
Appropriate engineering controls Ensure that adequate ventilation is provided. Maintain air concentrations below recommended exposure standards. Keep containers closed when not in use.
Personal Protective Equipment Use sensible work practices that reduce operator exposure to the product. Chemical resistant gloves and eye protection may be considered.

9. Physical and chemical properties

Appearance Opaque, off white liquid
Boiling Point ca 100°C
Solubility in Water Completely miscible with water
Specific Gravity 1.05 - 1.10 g/ml
pH 3.5 - 4.5
Flammability Non flammable

10. Stability and reactivity

Conditions to Avoid Use only as directed. Store in accordance with directions given in Section 7 (Handling and storage) of this MSDS.
Incompatible Materials Anionic surfactants
Possibility of hazardous reactions This material is stable under normal conditions of storage and use.
Other Information Store in a cool, dry place

11. Toxicological Information

Ingestion May cause irritation, headache, dizziness, dullness, gastric disorders and symptoms of central nervous system depression.
Inhalation Inhalation of mists and vapours may cause irritation and discomfort.
Skin Prolonged contact may lead to skin irritation and/or dermatitis. Seek medical advice if allergic reactions develop.
Eye Will cause mild irritation.
Chronic Effects No long-term exposure effects are known.

12. Ecological information

Safety Data Sheet

Issue Date : December 2015

ISSUED by ACS

Product Name **365 Carpet and Fabric Protection**

Classified as non-hazardous

Ecotoxicity No data is available on the product itself.

13. Disposal considerations

Disposal Considerations Remove for disposal in accordance with local waste management regulations. Dilute well with water before discharge.

14. Transport information

Transport Information This product is not classified as a dangerous good for transport (by road, rail, sea or air) according to the classification criteria for land, sea or air transport.

15. Regulatory information

Poisons Schedule Not Scheduled

AICS (Australia) All ingredients listed

16. Other Information

Other Information Reason for revision: Update to GHS format

DO NOT MIX WITH OTHER CHEMICALS WITHOUT PRIOR CONSULTATION WITH THE MANUFACTURER. Always use product as directed. Never return any unused material to original drum.

Every endeavour has been made to ensure that the information contained in this publication is reliable and offered in good faith. It is meant to describe the safety requirements of our products and should not be construed as guaranteeing specific properties. Customers are encouraged to conduct their own tests as end user suitability of the product for particular uses is beyond our control. The information is not intended as an inducement to bargain and no warranty expressed or implied is made as to its accuracy, reliability or completeness. Precision Automotive Technology accepts no liability for loss, injury or damage arising from reliance upon the information contained in this data sheet except in conjunction with the proper use of the product to which it refers. Due care should be taken that the use and disposal of this product is in compliance with appropriate Federal, State and Local Government regulations.

...End Of MSDS...

© Copyright ACOHS Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XPO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.

Issue Date : August 2015

Status : ISSUED

Product Name **365 Leather Protection**

Classified as non-hazardous

1. Identification

GHS Product Identifier 365 Leather Protection

Company Name Precision Automotive Technology

Address 5 Edmund St Newstead
QLD 4006 Australia

Telephone/Fax Number Tel: (07) 3000 7225

Emergency phone number (07) 3000 7225

2. Hazard Identification

GHS classification of the substance/mixture This material is NON-HAZARDOUS according to Safe Work Australia's GHS Criteria.

Precautionary statement – General Keep out of reach of children.

3. Composition/information on ingredients

Ingredients	Name	CAS	Proportion
	All ingredients are classified as non-hazardous at the concentrations used according to the criteria of Safe Work Australia	Not applicable	-

4. First-aid measures

First Aid Measures If poisoning occurs contact a doctor or Poisons Information Centre Phone Australia 131126, New Zealand 0800 764 766.

Inhalation Remove victim from exposure if safe to do so. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume a comfortable position and keep warm. Seek medical advice if symptoms persist.

Ingestion Do NOT induce vomiting. Wash mouth out with water. Give water to drink. Seek medical advice.

Skin Wash skin with plenty of soap and water. Remove contaminated clothing and wash before re-use. Seek medical advice (e.g. doctor) if irritation or redness develops.

Eye contact Hold eyelids open and irrigate continuously with water for 15 minutes. Seek medical advice.

First Aid Facilities Use should be made of an on-site approved first aid kit if required in the first instance until medical assistance is forthcoming. Potable water should be available to rinse eyes or skin. Provide eye baths and safety showers.

Advice to Doctor Treat symptomatically. Show this M.S.D.S. to the medical practitioner.

5. Fire-fighting measures

Suitable extinguishing media Use dry chemicals, CO2, water spray or alcohol resistant foam. Use equipment/media appropriate to surrounding fire conditions.

Hazards from Combustion Products This product is non combustible. Fumes of decomposition products may be toxic and irritating.

6. Accidental release measures

Spills & Disposal Avoid concentrated spillage from entering drains or watercourse. Remove for disposal in accordance with local waste management. Use suitable containers for disposal.

Personal Protection No special requirements under normal use conditions.

Clean-up Methods - Small Spillages Dilute small spills with large quantities of water before release to environment

Safety Data Sheet

Issue Date : August 2015

Status : ISSUED

Product Name **365 Leather Protection**

Classified as non-hazardous

Clean-up Methods - Large Spillages Large spills should be contained with absorbent and collected in containers for disposal
Environmental Precautions Refer to local waste management before any release to the environment.

7. Handling and storage

Precautions for Safe Handling When not being used, the product containers should be stored upright, and secured with the original closure. If transfer to another container becomes necessary ensure that the container is clearly labelled, the container is of a type suitable for the product, and is clean and free of other materials. Do not eat, drink or smoke in contaminated areas. Before eating, drinking or smoking, wash hands and remove contaminated clothing.
Additional information on precautions for use Always use clean and dry equipment to dispense the product. Dispensers should be cleaned before and after use. All dispensers should be washed out after use.

8. Exposure controls/personal protection

Occupational exposure limit values SWA exposure limits: None established
Appropriate engineering controls Ensure that adequate ventilation is provided. Maintain air concentrations below recommended exposure standards. Keep containers closed when not in use.
Personal Protective Equipment Use sensible work practices that reduce operator exposure to the product. Chemical resistant gloves and eye protection may be considered.

9. Physical and chemical properties

Boiling Point ca 100°C
Solubility in Water Completely miscible with water
Specific Gravity 0.99 - 1.10 g/ml
pH 5.5 - 6.5
Volatile Component 75%
Flammability Non flammable

10. Stability and reactivity

Conditions to Avoid Use only as directed. Store in accordance with directions given in Section 7 (Handling and storage) of this MSDS.
Incompatible Materials None known
Possibility of hazardous reactions This material is stable under normal conditions of storage and use.
Other Information Store in a cool, dry place

11. Toxicological Information

Ingestion May cause irritation, headache, and gastric disorders.
Inhalation Inhalation of mists and vapours may cause irritation and discomfort.
Skin Prolonged contact may lead to skin irritation and/or dermatitis. Seek medical advice if allergic reactions develop.
Eye May cause serious irritation.
Chronic Effects No long-term exposure effects are known.

12. Ecological information

Ecotoxicity No data is available on the product itself.

13. Disposal considerations

Disposal Considerations Remove for disposal in accordance with local waste management regulations.

Safety Data Sheet

Issue Date : August 2015

Status : ISSUED

Product Name **365 Leather Protection**

Classified as non-hazardous

14. Transport information

Transport Information Not classified as a Dangerous Good according to the Australian Code for the Transport of Dangerous Goods by Road and Rail.

15. Regulatory information

Poisons Schedule Not Scheduled
AICS (Australia) All ingredients listed

16. Other Information

Other Information Reason for revision: Update to GHS format

DO NOT MIX WITH OTHER CHEMICALS WITHOUT PRIOR CONSULTATION WITH THE MANUFACTURER. Always use product as directed. Never return any unused material to original drum.

Every endeavour has been made to ensure that the information contained in this publication is reliable and offered in good faith. It is meant to describe the safety requirements of our products and should not be construed as guaranteeing specific properties. Customers are encouraged to conduct their own tests as end user suitability of the product for particular uses is beyond our control. The information is not intended as an inducement to bargain and no warranty expressed or implied is made as to its accuracy, reliability or completeness. Precision Automotive Technology accepts no liability for loss, injury or damage arising from reliance upon the information contained in this data sheet except in conjunction with the proper use of the product to which it refers. Due care should be taken that the use and disposal of this product is in compliance with appropriate Federal, State and Local Government regulations.
...End Of MSDS...

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Chemical Safety International Pty Ltd.

Issue Date : April 2015

Status : ISSUED

Product Name **365 Paint Protection**

Classified as hazardous

1. Identification

GHS Product Identifier 365 Paint Protection
Company Name Precision Automotive Technology
Address 5 Edmund St Newstead
 QLD 4006 Australia
Telephone/Fax Number
Emergency phone number Tel: (07) 3000 7225
 (07) 3000 7225

2. Hazard Identification

GHS classification of the substance/mixture Aspiration Hazard: Category 1
 Flammable Liquids: Category 4
Signal Word (s) DANGER
Hazard Statement (s) May be fatal if swallowed and enters airways.
 Combustible liquid
Pictogram (s) Health hazard



Precautionary statement – Prevention Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
 Wear protective clothing/eye protection/face protection.
Precautionary statement – Response IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting.
 In case of fire: Use water fog for extinction.
Precautionary statement – Storage Store locked up.
 Store in a well-ventilated place. Keep container tightly closed.
Precautionary statement – Disposal Dispose of contents/container in accordance with local regulations.
Other Information Keep out of reach of children.

3. Composition/information on ingredients

Ingredients	Name	CAS	Proportion
	Naptha (Petroleum), hydrotreated heavy	64742-48-9	10-30 %
	Ingredients determined to be non-hazardous at the formulation concentration		to 100%

4. First-aid measures

First Aid Measures If poisoning occurs contact a doctor or Poisons Information Centre Phone Australia 131126, New Zealand 0800 764 766.
Inhalation Remove victim from exposure if safe to do so. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume a comfortable position and keep warm. Seek medical advice if symptoms persist.
Ingestion Do NOT induce vomiting. Wash mouth out with water. Give water to drink. Seek medical advice.
Skin Wash skin with plenty of water. Remove contaminated clothing and wash before re-use. Seek medical advice (e.g. doctor) if irritation develops.
Eye contact Hold eyelids open and irrigate continuously with water for 15 minutes. Seek medical advice.
First Aid Facilities Use should be made of an on-site approved first aid kit if required in the

Safety Data Sheet

CS: 1.9.606

Page: 2 of 4

Issue Date : April 2015

Status : ISSUED

Product Name **365 Paint Protection**

Classified as hazardous

Advice to Doctor first instance until medical assistance is forthcoming. Potable water should be available to rinse eyes or skin.
Treat symptomatically. Show this S.D.S. to the medical practitioner.

5. Fire-fighting measures

Suitable extinguishing media Combustible liquid. Avoid heat and all ignition sources. Use only in well ventilated areas. Prevent build-up of flammable vapours. Consult further information on safe storage and handling of hydrocarbon liquids. Handle in accordance with state or territory regulations for hydrocarbon liquids.

Hazards from Combustion Products Closed containers exposed to high temperatures, such as fire conditions may rupture. Vapours may form explosive mixtures with air. Use water sprays to cool fire exposed surfaces and any adjacent storage vessels. Shut off source of product if safe to do so. Remove sources of re-ignition. Use water fog to extinguish, or in the absence of water fog, a fine spray may be used. Wear a breathing apparatus when attending fire hazard.

6. Accidental release measures

Spills & Disposal Ensure adequate ventilation. Slippery when spilt. Contain spill with sand or earth. Gather up absorbent for disposal according to regulations. Avoid concentrated spillage from entering drains or watercourse. Do not allow to enter storm water drains, or water courses. Remove for disposal in accordance with local waste management. Use suitable containers for disposal.

Personal Protection Refer to Section 8 of this SDS.

Environmental Precautions Dispose of in accordance with local, state, and federal regulations.

7. Handling and storage

Precautions for Safe Handling Store in cool well ventilated area away from heat and ignition sources. Containers should always be kept closed in storage and properly labelled. Avoid contact with oxidising agents and mineral acids. Store only in original or approved containers. Harmful or fatal if swallowed! Avoid contact with eyes and skin. Avoid breathing vapors. Do not flame, cut, braze weld or melt empty containers. Keep the product away from heat, open flame, and other sources of ignition.

Additional information on precautions for use Always use clean and dry equipment to dispense the product. Dispensers should be cleaned before and after use. All dispensers should be washed out after use.

8. Exposure controls/personal protection

Occupational exposure limit values No value assigned for this specific material by the National Occupational Health and Safety Commission. However, for the hydrocarbon constituent: TWA = 184 ppm (1200 mg/m³)

Appropriate engineering controls Keep away from sources of ignition. Take precautionary measures against static discharges. Provide sufficient ventilation to control exposure levels below the exposure standards. Use local exhaust ventilation at sources of air contamination such as open process equipment. Dangerous concentrations may exist in areas with poor ventilation such as confined spaces.

Personal Protective Equipment Wear chemical goggles or face shield. Respiratory protection should be used if there is a risk of exposure to high vapour concentrations or if dust is being generated from usage. Respirators should comply with AS1716 or an equivalent approved by a state/territory authority. Wear protective clothing as necessary to avoid skin contact.

9. Physical and chemical properties

Appearance Viscous liquid

Boiling Point Not available

Solubility in Water Dispersable in water

Specific Gravity 1.00 g/ml (approx)

pH None allocated

Flash Point > 61C

Safety Data Sheet

Issue Date : April 2015

Status : ISSUED

Product Name **365 Paint Protection**

Classified as hazardous

Flammability C1 Combustible liquid

10. Stability and reactivity

Chemical Stability Stable under normal conditions of use.

Conditions to Avoid Open flames, sparks and excessive heat.

Incompatible Materials Strong acids, strong alkalis and oxidising agents.

Possibility of hazardous reactions This material is stable under normal conditions of storage and use.

Other Information Store in a cool, dry place. Use only as directed. Store in accordance with directions given in Section 7 (Handling and storage) of this SDS.

11. Toxicological Information

Ingestion May cause discomfort, nausea, diarrhoea and vomiting.

Inhalation Irritant to the nose and respiratory tract, headaches and nausea. Due to the physical form of the product it is not expected that the exposure standards listed will be exceeded. Shaking the dried polish from polishing pads or cloths may produce dust which will contain kaolin. Inhalation of this dust may cause difficulty in breathing. It can cause coughing, wheezing and possible long term damage to the lungs.

Skin Contact may cause skin irritation and/or dermatitis. Seek medical advice if allergic reactions develop.

Eye Contact with eyes can cause irritation, redness, tearing, blurred vision, and/or swelling. Dust generated while using this product contains abrasive material which can cause irritation of the eyes.

Chronic Effects No long-term exposure effects are known.

12. Ecological information

Ecotoxicity No data is available on the product itself. Avoid contamination waterways.

13. Disposal considerations

Disposal Considerations Remove for disposal in accordance with local waste management regulations.

14. Transport information

Transport Information Not classified as a Dangerous Good according to the Australian Code for the Transport of Dangerous Goods by Road and Rail or NZS 5433:1999 Transport of Dangerous Goods on Land.

15. Regulatory information

Poisons Schedule S5

AICS (Australia) All ingredients listed

16. Other Information

Other Information Issue #2
Reason for revision: Regular review.

DO NOT MIX WITH OTHER CHEMICALS WITHOUT PRIOR CONSULTATION WITH THE MANUFACTURER. Always use product as directed. Never return any unused material to original drum.

Every endeavour has been made to ensure that the information contained in this publication is reliable and offered in good faith. It is meant to describe the safety requirements of our products and should not be construed as guaranteeing specific properties. Customers are encouraged to conduct their own tests as end user suitability of the product for particular uses is beyond our control. The information is not intended as an inducement to bargain and no warranty expressed or implied is made as to its accuracy, reliability or completeness. Precision Automotive Technology accepts no liability for loss, injury or damage arising from reliance upon the information contained in this

Safety Data Sheet

Page: 4 of 4

Issue Date : April 2015

Status : ISSUED

Product Name **365 Paint Protection**

Classified as hazardous

data sheet except in conjunction with the proper use of the product to which it refers. Due care should be taken that the use and disposal of this product is in compliance with appropriate Federal, State and Local Government regulations.
...End Of MSDS...

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Chemical Safety International Pty Ltd.



Issue Date : August 2015

Status : ISSUED

Product Name **365 Vinyl Protection**

Classified as non-hazardous

1. Identification

GHS Product Identifier 365 Vinyl Protection
Company Name Precision Automotive Technology
Address 5 Edmund St Newstead
 QLD 4006 Australia
Telephone/Fax Number Tel: (07) 3000 7225
Emergency phone number (07) 3000 7225

2. Hazard Identification

GHS classification of the substance/mixture This material is NON-HAZARDOUS according to Safe Work Australia's GHS Criteria.
Precautionary statement – General Keep out of reach of children.

3. Composition/information on ingredients

Ingredients	Name	CAS	Proportion
	All ingredients are classified as non-hazardous at the concentrations used according to the criteria of Safe Work Australia	Not applicable	-

4. First-aid measures

First Aid Measures If poisoning occurs contact a doctor or Poisons Information Centre Phone Australia 131126, New Zealand 0800 764 766.
Inhalation Remove victim from exposure if safe to do so. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume a comfortable position and keep warm. Seek medical advice if symptoms persist.
Ingestion Do NOT induce vomiting. Wash mouth out with water. Give water to drink. Seek medical advice.
Skin Wash skin with plenty of soap and water. Remove contaminated clothing and wash before re-use. Seek medical advice (e.g. doctor) if irritation or redness develops.
Eye contact Hold eyelids open and irrigate continuously with water for 15 minutes. Seek medical advice.
First Aid Facilities Use should be made of an on-site approved first aid kit if required in the first instance until medical assistance is forthcoming. Potable water should be available to rinse eyes or skin. Provide eye baths and safety showers.
Advice to Doctor Treat symptomatically. Show this M.S.D.S. to the medical practitioner.

5. Fire-fighting measures

Suitable extinguishing media Use dry chemicals, CO2, water spray or alcohol resistant foam. Use equipment/media appropriate to surrounding fire conditions.
Hazards from Combustion Products This product is non combustible. Fumes of decomposition products may be toxic and irritating.

6. Accidental release measures

Spills & Disposal Avoid concentrated spillage from entering drains or watercourse. Remove for disposal in accordance with local waste management. Use suitable containers for disposal.
Personal Protection No special requirements under normal use conditions.
Clean-up Methods - Small Spillages Dilute small spills with large quantities of water before release to environment

Safety Data Sheet

Issue Date : August 2015

Status : ISSUED

Product Name **365 Vinyl Protection**

Classified as non-hazardous

Clean-up Methods - Large Spillages Large spills should be contained with absorbent and collected in containers for disposal
Environmental Precautions Refer to local waste management before any release to the environment.

7. Handling and storage

Precautions for Safe Handling When not being used, the product containers should be stored upright, and secured with the original closure. If transfer to another container becomes necessary ensure that the container is clearly labelled, the container is of a type suitable for the product, and is clean and free of other materials. Do not eat, drink or smoke in contaminated areas. Before eating, drinking or smoking, wash hands and remove contaminated clothing.
Additional information on precautions for use Always use clean and dry equipment to dispense the product. Dispensers should be cleaned before and after use. All dispensers should be washed out after use.

8. Exposure controls/personal protection

Occupational exposure limit values SWA exposure limits: None established
Appropriate engineering controls Ensure that adequate ventilation is provided. Maintain air concentrations below recommended exposure standards. Keep containers closed when not in use.
Personal Protective Equipment Use sensible work practices that reduce operator exposure to the product. Chemical resistant gloves and eye protection may be considered.

9. Physical and chemical properties

Boiling Point ca 100°C
Solubility in Water Completely miscible with water
Specific Gravity 0.99 - 1.10 g/ml
pH 5.5 - 6.5
Volatile Component 75%
Flammability Non flammable

10. Stability and reactivity

Conditions to Avoid Use only as directed. Store in accordance with directions given in Section 7 (Handling and storage) of this MSDS.
Incompatible Materials None known
Possibility of hazardous reactions This material is stable under normal conditions of storage and use.
Other Information Store in a cool, dry place

11. Toxicological Information

Ingestion May cause irritation, headache, and gastric disorders.
Inhalation Inhalation of mists and vapours may cause irritation and discomfort.
Skin Prolonged contact may lead to skin irritation and/or dermatitis. Seek medical advice if allergic reactions develop.
Eye May cause serious irritation.
Chronic Effects No long-term exposure effects are known.

12. Ecological information

Ecotoxicity No data is available on the product itself.

13. Disposal considerations

Disposal Considerations Remove for disposal in accordance with local waste management regulations.

Safety Data Sheet

Issue Date : August 2015

Status : ISSUED

Product Name **365 Vinyl Protection**

Classified as non-hazardous

14. Transport information

Transport Information Not classified as a Dangerous Good according to the Australian Code for the Transport of Dangerous Goods by Road and Rail.

15. Regulatory information

Poisons Schedule Not Scheduled
AICS (Australia) All ingredients listed

16. Other Information

Other Information Reason for revision: Update to GHS format

DO NOT MIX WITH OTHER CHEMICALS WITHOUT PRIOR CONSULTATION WITH THE MANUFACTURER. Always use product as directed. Never return any unused material to original drum.
Every endeavour has been made to ensure that the information contained in this publication is reliable and offered in good faith. It is meant to describe the safety requirements of our products and should not be construed as guaranteeing specific properties. Customers are encouraged to conduct their own tests as end user suitability of the product for particular uses is beyond our control. The information is not intended as an inducement to bargain and no warranty expressed or implied is made as to its accuracy, reliability or completeness. Precision Automotive Technology accepts no liability for loss, injury or damage arising from reliance upon the information contained in this data sheet except in conjunction with the proper use of the product to which it refers. Due care should be taken that the use and disposal of this product is in compliance with appropriate Federal, State and Local Government regulations.
...End Of MSDS...

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Chemical Safety International Pty Ltd.